



## DC RESISTIVE LOAD BANK 60V/200A (12KW)

We have attained a matchless position in the market as a Leading Manufacturer and Supplier of Load Banks. These are highly appreciated by our clients for their use in Power Supply Equipment, Standard Generator Testing, Battery Discharge, Elevator, Frequency Converters, UPS power and more. The offered banks are used for single or three phase testing of DC or AC supplies with complete accuracy. Their electricity hazard protected mechanism is completely safe to operate. Moreover, our Load Bank has a weather resistant body and has extended operational life.



Note:

\*Above shown image is for representation purpose only.

## RETRACK SYSTEMS

#1038,'Hombelaku',  
11<sup>th</sup> main, Hampinagar,  
Vijayanagar 2<sup>nd</sup> Stage,  
Bangalore – 560 040.  
Mob:98447 59090 / 98863 59090  
Web-[www.retracksystems.com](http://www.retracksystems.com)  
Mail-[sales@retracksystems.com](mailto:sales@retracksystems.com)/  
[retracksystems@gmail.com](mailto:retracksystems@gmail.com)/  
[retrack\\_systems@yahoo.com](mailto:retrack_systems@yahoo.com)

### Range of our other products:



500A Regulated Power supply



Decade RLC Boxes



Auto Transformers



R/L/C Load Bank



Mil Grade Power Supplies

**CUSTOM MADE LOAD BANKS & POWER SUPPLIES ARE ALSO AVAILABLE**

### TECHNICAL SPECIFICATION

Voltage:	60V DC
Maximum Current:	200A DC
No of Steps:	11 Steps (1Ax1, 2Ax2, 5Ax1, 10Ax1, 20Ax3, 40Ax3)
Selection Type:	Suitable Contactors & Switches

### Indications

LED Indicator for all steps and  
separate indicators for Voltmeter and Current Meter

### COMMUNICATION

Manual & PC (RS232 URT)

### FEATURES

Type of cooling:	Forced Air, using FAN
Protection:	Emergency stop button
Enclosure type:	The Load Bank will be Constructed with rugged M.S Sheets/Mess
Painting:	Powder coating,(Black)
Auxiliary Supply:	230V AC With suitable 3pin socket on door for connecting Aux, AC Supply for cooling fans, meters & Control Card
Connection Terminals:	Suitable Bus bar
Mobility:	Freely movable through suitable wheels

**Approx. Dimension: (Width x Depth x Height)**  
**500x500x700mm**

**RUGGED AND AESTHETIC MECHANICAL AND ELECTRICAL DESIGN**

### SALIENT FEATURES:

**NON-CORROSIVE PROPERTY**  
**STABLE & RELIABLE FUNCTIONING**  
**HIGH LOAD STORAGE CAPACITY**  
**RELIABLE & SAFE**

